



AQUARIUS P10011

44,60 % Open area
2x31 mm Mesh
7,16 kg/m² Weight
4,5 mm Thickness
2000 mm Width [max.]




AQUARIUS P10021

64,29 % Open area
7,5x67,5 mm Mesh
3,55 kg/m² Weight
8 mm Thickness
2000 mm Width [max.]



AQUARIUS P10050

66,43 % Open area
10,5x100 mm Mesh
8,63 kg/m² Weight
10 mm Thickness
2000 mm Width [max.]



ARIES P10035

69,40 % Open area
15x15 mm Mesh
6,80 kg/m² Weight
5,7 mm Thickness
4000 mm Width [max.]




ARIES P01060

51,02 % Open area
4x4 mm Mesh
6,20 kg/m² Weight
3,8 mm Thickness
2000 mm Width [max.]



ARIES TL P01047

80,20 % Open area
30x30 mm Mesh
4,96 kg/m² Weight
6,8 mm Thickness
4000 mm Width [max.]



LEO AL P06051

49,40 % Open area
25x3,5 mm Mesh
3,55 kg/m² Weight
4,8 mm Thickness
2000 mm Width [max.]




LEO P06040

52,08% Open area
30x2,5 mm Mesh
6,87 kg/m² Weight
4,5 mm Thickness
4000 mm Width [max.]




LEO P06090

50,60 % Open area
15,5x2,0 mm Mesh
5,9 kg/m² Weight
4,5 mm Thickness
4000 mm Width [max.]



PISCES P12010

34 % Open area
0,7x0,7 mm Mesh
2,80 kg/m² Weight
1 mm Thickness
2000 mm Width [max.]




SCORPIO P04010

80 % Open area
84x18 mm Mesh
3,80 kg/m² Weight
7,5 mm Thickness
4000 mm Width (max.)



SCORPIO P04020

67,78 % Open area
84x11 mm Mesh
8,51 kg/m² Weight
7,5 mm Thickness
4000 mm Width (max.)




SCORPIO P04040

67,60 % Open area
84x7,5 mm Mesh
6,50 kg/m² Weight
6,7 mm Thickness
4000 mm Width (max.)



TAURUS P02030

63 % Open area
2,8x10,8 mm Mesh
3,25 kg/m² Weight
2,2 mm Thickness
4000 mm Width (max.)




TAURUS P02070

66,67 % Open area
5x28 mm Mesh
4,78 kg/m² Weight
4,0 mm Thickness
4000 mm Width (max.)



VIRGO P07020

43,30 % Open area
15,5x2 mm Mesh
7,87 kg/m² Weight
3,5 mm Thickness
4000 mm Width (max.)




EGIDA P14010

0 % Open area
8x0 mm Mesh
19,83 kg/m² Weight
4,8 mm Thickness
2000 mm Width (max.)




EGIDA P14030

0 % Open area
29x0 mm Mesh
16,52 kg/m² Weight
4,8 mm Thickness
2000 mm Width (max.)



SAGITTARIUS P11220

45,08 % Open area
43,5x3,0 mm Mesh
10,20 kg/m² Weight
6,8 mm Thickness
4000 mm Width (max.)




SAGITTARIUS P11310

39,11 % Open area
2,0x0,95 mm Mesh
2,15 kg/m² Weight
1,3 mm Thickness
4000 mm Width (max.)




SAGITTARIUS P11320

66,07 % Open area
74x7,5 mm Mesh
6,13 kg/m² Weight
6,8 mm Thickness
4000 mm Width (max.)



SAGITTARIUS P11432

53,33 % Open area
32x3 mm Mesh
5,54 kg/m² Weight
3,8 mm Thickness
4000 mm Width (max.)



SAGITTARIUS P11440

67,60 % Open area
84x7,5 mm Mesh
6,50 kg/m² Weight
6,7 mm Thickness
4000 mm Width (max.)



SATURN P05110

54,10 % Open area
26,5x2,5 mm Mesh
5,70 kg/m² Weight
4,8 mm Thickness
4000 mm Width (max.)




SATURN P05130

50,61% Open area
15,5x2,0 mm Mesh
5,33 kg/m² Weight
1,5 mm Thickness
4000 mm Width (max.)




SATURN P05140

46,7 % Open area
15,5x2 mm Mesh
6,75 kg/m² Weight
5,0 mm Thickness
4000 mm Width (max.)




ARRAS D01250

70 % Open area
25 mm Slot
6,20 kg/m² Weight (Q55)
1400x2600 mm Width [max.]




ELIOS Z06100

74,62 % Open area
10 mm Slot
12,1 kg/m² Weight (Q55)
2000 mm Width [max.]




LIGHT Z05040

58,82 % Open area
4 mm Slot
14,70 kg/m² Weight (Q55)
2000 mm Width [max.]




LIGHT Z05077

73,33 % Open area
7,7 mm Slot
10,9 kg/m² Weight (Q55)
2000 mm Width [max.]




RADIUS Z10070

66,07 % Open area
7 mm Slot
10,8kg/m² Weight (Q55)
4000 mm Width [max.]



RADIUS Z10080

64 % Open area
8,0 mm Slot
10,8 kg/m² Weight (Q55)
4000 mm Width [max.]



REFLEX Z04050

69,44 % Open area
5,0 mm Slot
10,9 kg/m² Weight (Q55)
200 mm Width [max.]